

# .htaccess

## Bloquear Bots

### bloquear a través de robots.txt

```
User-agent: *  
Disallow: /
```

## Bloqueo Robots Maliciosos

### Fuente

```
RewriteEngine On  
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]  
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]  
RewriteCond %{HTTP_USER_AGENT} ^DISCo [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]  
RewriteCond %{HTTP_USER_AGENT} ^eCatch [OR]  
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]  
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]  
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]  
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]  
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]  
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]  
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]  
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Go!Zilla [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]  
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]  
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]  
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]  
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]  
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]  
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]  
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]  
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]  
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WWOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule .* - [F]
```

## Utilidades

## Configurar codificación

```
AddDefaultCharset ISO-8859-1
```

## Activar etiquetas cortas PHP

```
php_flag short_open_tag on
```

## Activar register\_globals php

```
php_flag register_globals on
```

## Display Errors

```
php_flag display_errors Off
```

From:

<https://wiki.codenova.cl/> - **Base de Conocimientos**

Permanent link:

<https://wiki.codenova.cl/htaces?rev=1357839745>

Last update: **2013/01/10 11:42**

